

Easy-on PC PC spirometer

Connecting patients to precise pulmonary care


ndd's PC-driven spirometer employs the interactive EasyOne Connect software to deliver rapid, accurate and reliable results. With compelling features such as live curve visualization, animated incentives and integration with leading EMR/EHR systems, the Easy on-PC is the clear choice for PC-connected spirometry.

ndd's patented TrueFlow technology eliminates the necessity for calibration, saving time while producing precise and dependable results.





Simple. Certain. Proven.



Incentive screens Available with *EasyOne Connect* software



Specifications

Test Types: FVC, FVL, SVC, MVV, Provocation and Pre/Post testing

Languages: Chinese, Croatian, Danish, Dutch, English, Finnish, French, German, Italian, Japanese, Norwegian, Portuguese, Russian, Spanish, Swedish, Turkish, Vietnamese

EMR connectivity: HL7, XML, GDT, API

Standards: ATS/ERS 2022, 2019 and 2005, NIOSH, OSHA, SSA Disability

Requirements to system (PC):

Memory: Hard disk: 1 GB (Software), 4 GB (database), RAM: 2 GB

Operating systems: Windows 7, Windows 8 and 8.1 (32 bit and 64 bit), Windows, 10 (32 bit and 64 bit), Windows 11

Article numbers

| 2700-3: | Easy on-PC spirometer |
|----------|---|
| 2700-OCC | Easy on-PC occupational health spirometer kit (sold in the United States only) |
| 2050-1: | Spirette box of 50 |
| 2050-5: | Spirette box of 200 |
| 2050-10: | Spirette box of 500 Not available in all countries |



ndd Medical Technologies 300 Brickstone Square, Suite 604 Andover, MA, 01810 USA Phone: +1-978-470-0923

ndd Medizintechnik AG Technoparkstrasse 1, CH-8005 Zurich, Switzerland Phone: +41 44 512 65 00





- Real-time animated incentives
- Proven integration with top EMR/EHR systems
- Long-term trending of results
- Automated quality feedback and interpretation
- Intuitive software interface
- Integrated provocation test with customizable protocols
- Wide range of selectable predicted values
- Calibration-free technology

TrueFlow makes the difference

ndd's unique ultrasonic flow measurement is highly accurate in all flow ranges, independent of gas composition, pressure, temperature and humidity.

ndd **TrueFlow** is a resistance-free solution that does not require calibration during its lifetime.

EasyOne Connect

EasyOne Connect software offers one database and one platform for EasyOne point-of-care solutions. Data management has never been easier.



ID: LP-0000043 Rev: 04 © Copyright 2025. All rights reserved

